

| Poster number | Abstract ID | First name | Last name     | Submission title   |       |
|---------------|-------------|------------|---------------|--|-------|
| 1             | 119         | Chiara     | Chung-Halpern | New Proterozoic paleomagnetic data from the Rehoboth Basement Inlier, Namibia, indicating 30-degree clockwise local rotation during Damaran orogenesis   | SY-01 |
| 2             | 75          | Jamie      | Cutts         | Tectonic Setting and provenance of plutonic rocks hosting the Great Slave Lake shear zone from microanalytical zircon U-Pb geochronology and oxygen and hafnium isotopes                       | SY-01 |
| 3             | 464         | Elise      | Laupland      | Detrital zircon provenance of the Flinton Group within the Composite Arc Belt, Grenville Province  | SY-01 |
| 4             | 51          | J. Gregory | Shellnutt     | Long-lived association between Avalonia and the Meguma terrane deduced from zircon geochronology of metasedimentary granulites   | SY-01 |
| 5             | 168         | Xi         | Wang          | Spatial Declustering of Global Zircon Database Points to Rapid Archean crustal growth and Neoproterozoic tectonic equilibrium  | SY-01 |
| 6             | 114         | Cristina   | Accotto       | Virtual field trip: Structural record of terrane accretion in the SW Iberian Massif  | SY-02 |
| 7             | 106         | Cristina   | Accotto       | Virtual field trip: the Eo-Variscan structures of the Eastern Moroccan Meseta  | SY-02 |
| 8             | 211         | Donnelly   | Archibald     | Age, petrology, and critical element potential of Devonian plutonic rocks in the eastern Meguma terrane, Nova Scotia   | SY-02 |
| 9             | 239         | Fatiha     | Askour        | Zircon U–Pb ages and geochemistry of the Oued Tamoussift tonalite from the Bas Draa inlier (Western Anti-Atlas, Morocco)   | SY-02 |
| 10            | 558         | Rémi       | Germain       | New LA-ICP-MS U-Pb inherited zircon ages from the German Bank pluton, offshore southwestern Nova Scotia  | SY-02 |
| 11            | 580         | Marieme    | Jabbour       | Geological mapping and petrostructural and geochemical study of the Aghbar deposit, Bou-azzer El Graara, central Anti-Atlas, Morocco   | SY-02 |
| 12            | 73          | Michel     | Villeneuve    | Colliding cratons: Linking the Variscan Orogeny in West Africa and Laurentia (or North America?)   | SY-02 |
| 13            | 385         | Bruna      | Coldebella    | Multiple sulfur isotope and trace element composition through pyrite–pyrrhotite metamorphic devolatilization of the Archean Pontiac Subprovince, Quebec: implications for orogenic gold source | SS-03 |
| 14            | 97          | Meghomita  | Das           | Investigating deformation along a paleomegathrust: Insights from microstructural study of blueschist metachert from the Franciscan Complex, California.  | SS-03 |
| 15            | 470         | Erin       | Dowling       | Geochemical Characterization of Quartz Veins from the Balls Lake Formation of the Maritimes Basin, Saint John area, New Brunswick  | SS-03 |
| 16            | 117         | Erin       | Eves          | A Microstructural Investigation of Flow Texture in Pseudotachylyte   | SS-03 |
| 17            | 186         | Alix       | Osinchuk      | Quantifying variable stress states in metamorphic rocks using subgrain piezometry  | SS-03 |
| 18            | 450         | Noah       | Phillips      | Constraining the ductile deformation mechanisms of garnet across pressure-temperature space  | SS-03 |

|    |     |           |              |   |       |
|----|-----|-----------|--------------|---|-------|
| 19 | 370 | Danielle  | Richard      | Effects of Retrogression and Rehydration on Meta-Mafic Rock Deformation during Subduction Infancy: Evidence from the Sub-Ophiolite Metamorphic Rocks of Mont Albert (Gaspé Peninsula, Québec, Canada)       | SS-03 |
| 20 | 198 | Marina    | Seraine      | Was the Huronian Glaciation really a Snowball? A detrital zircon perspective.   | SS-03 |
| 21 | 332 | Sabastien | Dyer         | Is zircon in equilibrium during metamorphism?   | SS-04 |
| 22 | 427 | Leo J.    | Millonig     | LA-ICPMS garnet U-Pb dating: Method and applications  | SS-04 |
| 23 | 82  | Lucille   | Daver        | Noble gases in fluid inclusions of fibrous and coated diamond: first data for Diavik mine, Canada   | SS-05 |
| 24 | 403 | Song      | Gao          | Phlogopite deformation fingerprints: a systematic study of strain-related mosaic spread in phlogopite from Drybones Bay kimberlites and mantle xenoliths  | SS-05 |
| 25 | 487 | Katherine | Landoni      | Olivine populations, properties, and distributions in the Leslie kimberlite, NT, Canada   | SS-05 |
| 26 | 107 | John      | Brigham      | Polymetamorphism of ultramafic rocks—insights from the East Dover meta-dunite, Vermont  | SS-07 |
| 27 | 9   | Jerry     | Burgess      | New approaches to discern the potentially polymetamorphic history of the Gassetts Schist, Vermont   | SS-07 |
| 28 | 368 | François  | Fournier-Roy | Geochronology and geochemistry of the Bay of Islands metamorphic sole: a metamorphic record of Taconic oceanic convergence  | SS-07 |
| 29 | 290 | Kathleen  | Clark        | Trace element geochemistry of biotite from the Scrag Lake and New Ross plutons of the South Mountain Batholith, Nova Scotia, Canada: Implications for critical metal behaviour during magma differentiation | SS-08 |
| 30 | 181 | Samuel    | Coulombe     | Source tracing of a REE-rich granitic pegmatite dyke injected in Wabash paragneiss (Grenville).   | SS-08 |
| 31 | 228 | Bin       | Lin          | The multipulsed magmatism and instantaneous mineralization of the giant Jiama porphyry Cu system, Tibet, China  | SS-08 |
| 32 | 20  | Yiting    | Zhu          | Chemical and boron isotopic compositions of tourmaline at the Baiyanghe Be-U deposit, northwest China: Implications for Be-U mineralization   | SS-08 |
| 33 | 52  | Filip     | Simán        | Understanding lithostratigraphy and deposition of the Rävlieden Zn-Pb-Ag-Cu deposit, Sweden   | SS-10 |
| 34 | 272 | Jonathan  | Umbsaar      | Lithotectonic classification of seafloor massive sulphides (SMS) using critical metal endowments  | SS-10 |
| 35 | 377 | Erin      | Adlakha      | Using Micro-XRF Elemental Mapping to Characterize Alteration and Paragenesis of the Bass River Magnetite IOCG prospect, Nova Scotia   | SS-11 |
| 36 | 289 | Philippe  | Mongeau      | The role of fluid-rock reactions on gold-endowment at the Meliadine gold district, Nunavut, Canada: a sulfur isotope study  | SS-12 |
| 37 | 563 | Collette  | Pilsworth    | Fracture fill mineralogy and chemistry from the Oberon gold deposit, Northern Territory, Australia  | SS-12 |
| 38 | 123 | Diogo     | Ribeiro      | mobility of metals and ligands during prograde metamorphism of Neoproterozoic clastic basins: insight from the Pontiac and Quetico subprovinces   | SS-12 |
| 39 | 456 | Majak     | Agau         | Mineralogical, chemical, and microbiological analyses to evaluate the potential impacts of submerging oxidized tailings and adding a cover.   | SS-15 |

|    |     |           |           |   |       |
|----|-----|-----------|-----------|---|-------|
| 40 | 14  | Decla     | McParland | Mg-carbonate formation potential of sulfate-reducing bacteria   | SS-15 |
| 41 | 413 | Joshua    | Paulsen   | Geochemical Controls on Acid Generation and Metal(loid) Mobility in Froth Treatment Tailings at an Oil Sands Mine   | SS-15 |
| 42 | 103 | Colton    | Vessey    | Influence of trace metals on mineral carbonation products and efficiencies: A spectroscopic study   | SS-15 |
| 43 | 19  | Yuanyi    | Wang      | Early biogeochemical development of coagulated-flocculated mature fine tailings for oil sands mine reclamation  | SS-15 |
| 44 | 399 | Aria      | Zhang     | Tailings Geochemistry and Mineralogy Under a Composite Cover at Kam Kotia Mine, ON  | SS-15 |
| 45 | 525 | Dallan    | Beaudin   | Characteristics of alteration and gold mineralization in the Paleoproterozoic Pine Lake greenstone belt, Trans-Hudson orogen: Constraints from the Santoy Mine Complex and Fisher property, Seabee Gold Operation, Saskatchewan | SS-16 |
| 46 | 389 | Jessey    | Rice      | Geochemical reanalysis of archived regional lake sediment samples from the Hopedale Block, Labrador   | SS-18 |
| 47 | 454 | Jessi     | Steinke   | Gold transport in an alpine glaciated environment: Insights from placer mine exposures near the Cordilleran Ice sheet limit, Granite Creek, Yukon   | SS-18 |
| 48 | 440 | Sam       | Kelley    | Assessing the process and timescale of megagravel emplacement in a coastal boulder deposit, Annagh Head, western Ireland  | SS-20 |
| 49 | 462 | Maureen   | Matthew   | Rock avalanches - how common are these geohazards in the eastern Canadian Arctic?   | SS-20 |
| 50 | 167 | Philip    | Sedore    | Environmental controls on the generation of submarine landslides in Arctic fiords: An example from Pangnirtung Fiord, Baffin Island   | SS-20 |
| 51 | 408 | Cody      | Lazowski  | Occurrence of lithium in Devonian evaporites near the Peace River Arch  | SS-21 |
| 52 | 235 | Patricia  | Fraino    | The complexity of micro- to centimeter-scale heterogeneities in geological and geomechanical properties in fine-grained deposits and how to quantify it   | SS-22 |
| 53 | 536 | Galen     | Halverson | A Bayesian Age Model for the Tonian Stratigraphy of the Western Officer Basin, Australia: Implications for the Origin and Early Evolution of the Centralian Superbasin  | SS-22 |
| 54 | 551 | Alexandra | Pipe      | Variability in sediment provenance in the Neoproterozoic Windermere Supergroup, Southern Canadian Cordillera: multi-isotope and trace element perspectives  | SS-22 |
| 55 | 544 | Alexandra | Pipe      | Variability in sediment provenance using multi-isotope and trace element geochemical analysis: implications for sediment routing in the Neoproterozoic Windermere Supergroup  | SS-22 |
| 56 | 295 | Alexander | Peace     | Fault reactivation and halokinesis: an example from the Penobscot 3D seismic volume, offshore Nova Scotia, Canada   | SS-23 |
| 57 | 53  | Adrian    | Rehm      | Metamorphic architecture and evolution of the Neoproterozoic Quetico sedimentary subprovince, Superior Province   | SS-24 |
| 58 | 455 | Santiago  | Serna     | Syn-Orogenic sedimentation of the Gibbett Hill and Quidi Vidi Formations (Lower Signal Hill Group), Avalon Peninsula, Newfoundland  | SS-24 |

|    |     |          |                   |   |       |
|----|-----|----------|-------------------|---|-------|
| 59 | 452 | Grace    | Khatrine          | Facies distributions and paleoenvironment of the Neoproterozoic Mistaken Point Formation on the northern Avalon Peninsula   | SS-25 |
| 60 | 515 | Wilder   | Greenman          | Were the Bylot basins interconnected between ca. 1090-1040 Ma? Insights from sedimentological and trace element studies on the Fury and Hecla and Thule basins                                  | SS-26 |
| 61 | 407 | Daniela  | Gutierrez Rueda   | Implications of germanium partitioning into amorphous silica for the chert record   | SS-26 |
| 62 | 423 | Paul     | Hoffman           | Carbonate $\delta^{13}C$ variation in Cryogenian diamictites as records of erosional unroofing  | SS-26 |
| 63 | 378 | Zhiquan  | Li                | How does weathering influence geochemical signals in Paleoproterozoic banded iron formations? A case study from an outcrop sample of the Boolgeeda Iron Formation                               | SS-26 |
| 64 | 522 | Kelly    | Rozanitis         | Oxygenic photosynthesis in ancient cyanobacteria and the implications for the Great Oxidation Event   | SS-26 |
| 65 | 537 | Jenifer  | Spence            | An insight into Snowball Earth: the impact of deglaciation on microbial communities in the Canadian High Arctic   | SS-26 |
| 66 | 572 | Baptiste | Coutret           | Reinterpreting Biomat-Associated Ichnogenera  | SS-27 |
| 67 | 171 | Sarah    | Hatherly          | Perceived versus quantifiable productivity of Earth scientists during COVID-19 work-from-home initiatives   | SS-28 |
| 68 | 509 | Leyla    | Weston            | Unlocking the geologic past through illustration  | SS-33 |
| 69 | 127 | Hayden   | Tackley           | Tidal signal propagation in a coastal aquifer along a macro-tidal river undergoing dyke realignment   | SS-35 |
| 70 | 526 | Kathryn  | Smith             | Patterns and dynamics of groundwater temperatures in Nova Scotia  | SS-37 |
| 71 | 28  | Connor   | Acton             | Hydrogeological consequences of wastewater effluent disposal in a permafrost environment under present and future climate conditions  | SS-39 |
| 72 | 62  | Elliott  | Skierszkan        | A decade of year-round hydrogeochemical monitoring in small tributaries of the Yukon River Basin underlain by discontinuous permafrost  | SS-39 |
| 73 | 381 | Jamie    | Schmidt           | Trends in aqueous mercury speciation and bioavailability in Prairie Pothole Region wetlands of Saskatchewan   | SS-41 |
| 74 | 146 | Fiona    | Chapman           | Thermo-stratigraphy of the Duke River area in southwestern Yukon  | SS-42 |
| 75 | 242 | Violaine | Gascuel           | Using deviated wells to harness heat from the deep aquifers of the St Lawrence sedimentary basin.   | SS-42 |
| 76 | 331 | Victoria | Lee               | Groundwater heat pump systems to fight urban heat islands: Modeling of a case study in Québec City, QC, Canada  | SS-42 |
| 77 | 205 | Reginald | Somera            | Characterizing the isotopic abundance of Cl and Br in the thermal springs of the Southern Canadian Rocky Mountains  | SS-42 |
| 78 | 585 | John     | Ball              | Use of geoelectrical techniques for monitoring the structural integrity of earthen flood embankments  | SS-46 |
| 79 | 459 | Dmitriy  | Danchenko         | Time-lapse electrical resistivity imaging (ERI) for embankment seepage monitoring   | SS-46 |
| 80 | 447 | Emanuel  | de Gante Carrillo | Time Series Analysis for Temperature Anomaly Detection at the Mactaquac Dam   | SS-46 |
| 81 | 505 | Eric     | Nakoh             | In situ sensor-based monitoring strategies for biogeochemical reactions in circumneutral Au tailings environments: monitoring the remediation of the Montague historical mine site, Nova Scotia | SS-46 |

|    |     |           |                 |  |       |
|----|-----|-----------|-----------------|--|-------|
| 82 | 508 | Krystal   | Nason           | Identifying Sources of Mercury in Peruvian Amazon Aquatic Systems using Mercury Stable Isotopes  | SS-47 |
| 83 | 69  | Matt      | Gill            | Carbon Sequestration in The Bay of Islands Ophiolite Complex, Newfoundland   | GS-01 |
| 84 | 353 | Masoud    | Mehrvand        | Precipitation time series interpolation using Fourier kriging  | GS-01 |
| 85 | 59  | Oluyinka  | Oyewumi         | Spatial distribution and risk assessment of heavy metal concentrations from an agricultural watershed area of Rocky Hill, northeastern USA   | GS-01 |
| 86 | 528 | Laura     | Piccirillo      | Growth rates and ages in the deep-sea bamboo corals <i>Acanella arbuscula</i> and <i>Keratois</i> sp. from the Northwest Atlantic and Eastern Canadian Arctic  | GS-01 |
| 87 | 414 | Samuel    | Bolduc          | Estimation of the groundwater residence times in the Laurentides region by $3\text{H}/3\text{He}$ , $\text{U}+\text{Th}/4\text{He}$ , $14\text{C}$ and $234\text{U}/238\text{U}$ isotopic approach       | GS-02 |
| 88 | 203 | khaoula   | loussif         | Assessing the impact of mine dewatering and climate change on the mobility of trace elements in peatlands  | GS-02 |
| 89 | 320 | Jenacy    | Samways         | Long-term changes in groundwater levels in Canada's mountain regions   | GS-02 |
| 90 | 446 | Pascal    | Audet           | Structural controls on lateral variations in megathrust fault coupling in southern Hikurangi, New Zealand  | GS-03 |
| 91 | 306 | Alexandre | Plourde         | Mapping tectonic stress and forearc structure at subduction zones using earthquake focal mechanisms  | GS-03 |
| 92 | 148 | Kiersty   | Malay           | The age and petrogenesis of granitic pegmatites in the northeastern Meguma terrane, Nova Scotia  | GS-04 |
| 93 | 367 | Daniela   | Mendoza Marín   | Melt productivity of aluminous anatectic rocks of the central Grenville Province and characterization of potential anatectic granite layers.   | GS-04 |
| 94 | 555 | Benjamin  | Neil            | Characterizing ca. 2.5 Ga magmatism in the Nonacho Lake area of the southwestern Rae craton, Northwest Territories, Canada   | GS-04 |
| 95 | 451 | Quinn     | Worthington     | A ca. 270-260 multi-component arc plutonic complex in the southern area of the Beishan Orogenic Collage, NW China: a geochronological, geochemical, and petrogenetic analysis.                           | GS-04 |
| 96 | 384 | Jennifer  | Cooper Boemmels | Paleostress analysis of mesoscale normal faults and Early Cretaceous sheet intrusions of northern New England: evidence for postrift Early Cretaceous extension within the eastern North American margin | GS-09 |
| 97 | 415 | Laurence  | Guyot-Messier   | Lithological and Structural Contexts of the Sonny Zinc Showing in the Meta-Sedimentary Belt of the Grenville Province in Western Québec  | GS-09 |
| 98 | 340 | Daniel J. | Kontak          | A refined paragenesis for the Scotia Mine (Nova Scotia, Canada) revealed from a textural and trace-element study of gangue and sulphide phases   | GS-11 |